

Work Order ID 80590

80590

Page 1

February-23-12 2:50:13 PM

Item ID: D4271-013 Accept *N900040100* Setup Start *NS1*
 Revision ID: Stop *NS2*
 Item Name: Aft Beam Assembly
 Start Date: 24/02/2012 Start Qty: 2.00 *2* Cust Item ID:
 Required Date: 09/03/2012 Req'd Qty: 2.00 *2* Customer:
 Reference:

Approvals: Process Plan: M.L.S Date: 12/02/12 Tooling: _____ Date: _____ Run Start *NR1*
 QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop *NR2*

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

Draw Nbr	Revision Nbr
D4271	D

100 0.00
 100
 Small Fab Memo 0.00
 Small Fab 1- Pick and Assemble as per dwg

110 QC5- Inspect part completeness to step on W/O 0.00
 110
 QC Memo 0.00
 Quality Control

120 Identify as per dwg & Stock Location: 5/168 0.00
 120
 Packaging Memo 0.00
 Packaging

SP 12/03/09 (2)

(2)

(2) SP 12-03-13

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Work Order ID 80590***80590***

Page 2

February-23-12 2:50:13 PM

Item ID: D4271-013

Accept

N900040100Setup Start ***NS1***

Revision ID:

Item Name: Aft Beam Assembly

Stop ***NS2***

Start Date: 24/02/2012 Start Qty: 2.00

2

Cust Item ID:

Required Date: 09/03/2012 Req'd Qty: 2.00

2

Customer:

Reference:

Approvals:

Process Plan:

Date:

Tooling:

Date:

Run Start ***NR1***

QC:

Date:

SPC (Y/N):

Date:

Stop ***NR2***Sequence ID/
Work Center IDOperation
DescriptionSet Up/
Run Hours

Tool ID

Tool #

Plan
CodeAccept
QtyReject
QtyReject
NumberInsp.
Stamp

130

QC21- Final Inspection - Work Order Release

0.00


130

QC

Memo

0.00

Quality Control

12/3/14 

112-03-13

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Picklist Print

February-23-12 2:50:18 PM

Page 1

Work Order ID: 80590

80590

Parent Item: D4271-013

D4271-013

Parent Item Name: Aft Beam Assembly

Start Date: 24/02/2012

Required Date: 09/03/2012

Start Qty: 2.00

Required Qty: 2.00

Comments: IPP rev:A 10.11.18 new issue DD verf:EC
11.01.26 RevB dwg EC verified by:DD
per rev PD1 EC verified by:JLM

IPP RevB
IPP RevC 11.07.20

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
D4271-027 *D4271-027* End Fitting Assembly Aft Beam		Manufactured	No			100	Each	0.0000	1	2		2/03/09	
D4276-1 *D4276-1* Aft Beam		Manufactured	No			100	Each	0.0000	1	2		2/03/09	
AN3C12A *AN3C12A* Bolts		Purchased	No			100	Each	348.0000	6	12		2/03/09	

Location

Loc Qty

Loc Code

GA	50	
120449	50	
ST351	298	
117514	4	
118112	5	
118451	22	
119510	1	
120423	266	

12

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Picklist Print

February-23-12 2:50:18 PM

Page 2

Work Order ID: 80590

80590

Parent Item: D4271-013

D4271-013

Parent Item Name: Aft Beam Assembly

Start Date: 24/02/2012

Required Date: 09/03/2012

Start Qty: 2.00

Required Qty: 2.00

MS21043-3

Purchased

No

100

Each

1,273.000

6

12

MS21043-3

Nut

**

Location

Loc Qty

Loc Code

FG

72

103691

72

GA

400

120693

400

ST300

308

119901

308

ST301

493

118077

2

118614

441

118686

30

119758

20

NAS1149C0332R

Purchased

No

100

Each

4,929.000

12

24

NAS1149C0332R

Washer

**

Location

Loc Qty

Loc Code

ST297

4929

118354

607

119736

196

120648

4126

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector


Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____


NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Signature & Date			

NOTE: Date & initial all entries

ITEM	QTY -011	QTY -013	P/N	DESCRIPTION
	X		D4271-011	FWD BEAM ASSEMBLY
		X	D4271-013	AFT BEAM ASSEMBLY
	-	-	D4271-021	DELETED AT REVISION D
	-	-	D4271-023	DELETED AT REVISION D
1	1	-	D4271-025	FWD BEAM END FITTING ASSEMBLY
2	-	1	D4271-027	AFT BEAM END FITTING ASSEMBLY
3	1	-	D4275-1	FWD BEAM
4	-	1	D4276-1	AFT BEAM
5	6	6	AN3C12A	BOLT
6	6	6	MS21043-3	NUT
7	12	12	NAS1149C0332R	WASHER



D4271-011 FWD BEAM ASSEMBLY



D4271-013 AFT BEAM ASSEMBLY

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBSTITUTION

W. J. J. J.
V. J. J. J.
NO. 80590 M.C.J.
12/02/23

RELEASED
2011-07-28

NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: N/A
- 6) IDENTIFICATION: IDENTIFY WITH DART IDENTIFY WITH DART P/N "D4271-0XX" AND B/N "BXXXXX"
PER DART QSI 044 6.1 (FINE POINT MARKER)
- 7) WEIGHT -011: 11.02 lbs
-013: 12.97 lbs

D	DELETED -021 & -023 REPLACED BY -025 & -027 FOR Q.R. STEP INSTALLATION.	AJS	11.07.14
C	ADDED -021 & -023 FOR EASE OF CONFIGURATION MANAGEMENT. REFORMAT SEE PREV REV FOR DETAILS.	AJS	11.07.12
B	ITEM 10 CHANGED FROM AN3C12A TO AN4C13A	SC	10.12.01
A	NEW ISSUE	SC	10.11.25
REV.	DESCRIPTION	BY	DATE
DESIGN	JPH	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	AJS		
CHECKED	JP	DRAWING NO.	REV. D
MFG. APPR.	E	D4271	SHEET 1 OF 3
APPROVED	JP	TITLE	SCALE
DE APPR.	JP	SUPPORT BEAM ASSEMBLIES	NTS
DATE	11.07.14	COPYRIGHT © 2010 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector


Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries



ITEM	QTY -025	P/N	DESCRIPTION
	X	D4271-025	FWD BEAM END FITTING ASSEMBLY
1	1	D4149-5	EYEBOLT STUD
3	1	D4281-1	SPACER
4	1	D4281-3	SPACER
5	2	D4419-1	FWD SUPPORT PLATE
6	2	AN4C13A	BOLT
7	1	MS20427M4-20	CSK RIVET (MONEL)
8	10	MS20615-4M18	RIVET (MONEL)
9	2	MS21043-4	NUT
10	4	NAS1149C0432R	WASHER



D4271-025 FWD BEAM END FITTING ASSEMBLY ⚠

NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: N/A
- 6) IDENTIFICATION: IDENTIFY WITH DART IDENTIFY WITH DART P/N "D4271-025" AND B/N "BXXXXX" PER DART QSI 044 6.1 (FINE POINT MARKER)
- 7) WEIGHT: 2.69 lbs



RELEASED
2011-07-28
ND

DESIGN	JPH	DART AEROSPACE LTD	
DRAWN	AJS	HAWKESBURY, ONTARIO, CANADA	
CHECKED	JP	DRAWING NO.	REV. D
MFG. APPR.	JP	D4271	SHEET 2 OF 3
APPROVED	JP	TITLE	SCALE
DE APPR.	JP	SUPPORT BEAM ASSEMBLIES	NTS
DATE	11.07.14	COPYRIGHT © 2010 BY DART AEROSPACE LTD	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR ORIGIN OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.			

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector


Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries



ITEM	QTY -027	P/N	DESCRIPTION
	X	D4271-027	AFT BEAM END FITTING ASSEMBLY
1	1	D4148-3	STUD RECEIVER LOWER
2	1	D4148-5	EYEBOLT STUD
3	1	D4281-3	SPACER
4	2	D4419-3	AFT SUPPORT PLATE
5	2	AN4C13A	BOLT
6	1	MS20427M4-20	CSK RIVET (MONEL)
7	10	MS20615-4M18	RIVET (MONEL)
8	2	MS21043-4	NUT
9	4	NAS1149C0432R	WASHER



D4271-027 AFT BEAM END FITTING ASSEMBLY

NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: N/A
- 6) IDENTIFICATION: IDENTIFY WITH DART IDENTIFY WITH DART P/N "D4271-027" AND B/N "BXXXXX" PER DART QSI 044 6.1 (FINE POINT MARKER)
- 7) WEIGHT: 4.25 lbs



RELEASED
2011-07-28

DESIGN	JPH	DART AEROSPACE LTD	
DRAWN	AJS	HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. D
MFG. APPR.		D4271	SHEET 3 OF 3
APPROVED		TITLE	SCALE
DE APPR.		SUPPORT BEAM ASSEMBLIES	NTS
DATE	11.07.14	<small>COPYRIGHT © 2010 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries